RELIANCE PROJECTS & PROPERTY MANAGEMENT SERVICES LIMITED

PRINCIPAL PLACE OF BUSINESS

Building No.4, RK Four Square, Reliance House, RK 4Square, DLF Cyber City, Phase II, Haryana 122002

GSTIN: 06AAJCR6636B1ZG

WORK CHANGE ORDER AGAINST RATE CONTRACT

3682589

GOPAL ENTERPRISES

HNO.-690 PANIPAT VPO DADLANA

Revision No.: 0001 Date: 18.10.2022

Work Order No.: RXN/63713934

Buyer: Shukla

Telephone: 91-011-40658384/ 40658384 Email: lalit.sharma.contracts@ril.com

PANIPAT HARYANA

Pin Code: 132140 India

Attention: SUSHIL KUMAR

Tel.No.:

GST Status: Registered GSTIN: 06AAUFG7272J2ZQ

E-Mail: RAMGOPALDIXIT111@YAHOO.COM

WORK CHANGE ORDER - DO NOT DUPLICATE

This WORK CHANGE ORDER is issued to incorporate the following change(s) to the above noted Work Order:

Amendment to the Total Price as a result of this Revision INR 1031145.15-Original/Previous Total Work Order Price: INR 5923100.55 Revised Total Work Order Price: **INR** 4891955.40

Revised Value in Words: Rs. Forty Eight Lakh Ninety One Thousand Nine Hundred Fifty Five and Paise Forty only

ALL OTHER REQUIREMENTS, TERMS AND CONDITIONS SHALL REMAIN SAME AS PER THE ORIGINAL WORK ORDER AND ANY PREVIOUS CHANGE ORDER REVISION(S).

It is important that Contractor signs and returns the Work Change Order Copy within three (3) days of receipt. No other form of Order acceptance will be accepted. Failure to return the copy does not diminish responsibilities as set forth here in but may result in a delay to any payments that may be due.

FOR RELIANCE PROJECTS & PROPERTY MANAGEMENT SERVICES LIMITED

BUYER: Shukla **Authorised Signatory** Contractor's Acceptance: Engineer Incharge: Mr. Rajiv Tomar/Mr. Roop Validity From :04.06.2022 TO 02.09.2022 Date Signature Title

REGISTERED OFFICE : Gujarat -380006

WORK CHANGE ORDER AGAINST RATE CONTRACT Number RXN/63713934

Page No: 1

Revision No: 0001 Dt. 18.10.2022

Smart Bazar, Civil Work at AMBALA RAI MARKET MINERVA, HR Day-2
*** Incoterms changed ***
This is my chnage remarks

The item co	Excvn/PCC/RCC/Foundn/Water Ex	ork: ng. 765.35 hanging wire,			ue of Work SST/UGST CGST	1,285,675.13 9.00 9.00	INR/PU % %	1,285,675.13 115,710.76 115,710.76
10 3122405	L/C for dismantling of False ceiling of False ceiling with support channels & of debris & stacking at one place, including	ng. 765.35 hanging wire,			60.76			
	g of False ceiling with support channels & of debris & stacking at one place, including	hanging wire,			60.76			
1 /0 (of debris & stacking at one place, including				00.70			46,502.67
including shifting o		y all consumables as						
30 3161212	REMOVE WOODEN/GLAZED/G	SYPSUM PARTITION	389.360 l	leased from the M2 - Square t value of item				64,867.38
debris from site as Dismantling: Dismasonry including RCC Patli, plaster, items, providing	antling of all non-salvagable items such a , dado etc, and all types of floorings witho ding, stacking of all useful (salvagable) an	ut damaging other						
	PRO&FIX COR CUTNG W/COR ng with core cutting M DIA upto 200 mm dej		2 NC	leased from the OS - Numbers t value of item				1,960.00
	PRO&FIX COR CUTNG W/COR ng with core cutting MM DIA upto 200 mm do		2 NC	leased from the OS - Numbers t value of item				1,867.88
60 3162742	PRO&FIX 6MM THK MIR W/9M	M CMCL PLYWD PNL	16.560M2	leased from the 2 - Square me t value of item				41,042.64

Providing and fixing 6mm thick mirror of approved quality with 9mm commertial Plywood panelling, 12mm thick beading to plywood, including Brush Steel finish S.S Mirror studs.

Net value of item

2,156.00

787,694.60

No	Iten	m Code	Material/Work Description	HSN/SAC		Quantit	y UOM	Price [Details	Unit Rate	Amount (INR)
-	70 :	3163248	PRO&FIX SS COAT HOOK		12	NOS	Released from t - Numbers Net value of item		620 329.28		3,951.36
			ng in position s.s.coat hook, all complete a CP Coat Hook of approved quality.	as per specifications.							
8	30 ;	3163521	LABOUR CHARGES		15	NOS	Released from t - Numbers Net value of item		730 686.00		10,290.00
	100	324563	2 P&F WHITE FLEX PRTN W/25	X25MMMS SQ FRM		90	Released from t M2 - Square Net value of item	meter	750 489.02		44,011.80
2	25 mn areas	n (18 gauge as required	g plain white flex partitioning fixed on M.S. e) for cordening off portions of store, stor along with access door of same frame & al, labour, hardware, tools & tackles etc.	rage areas, OIG flex material . Rtae to							
	130	334300	9 P&F GODREJ 8 LEVER LOCK		6	EA -					
ap Pro Bro bo: wi	oli odu eak ron th	cable ct Des ing lo harde theft	and Fixing Godrej 8 hardware - Product Cocription - NAVTAL ULbed 3ton. Each set to ened brass body Padlo proof combinations at easy identification	ode 5100, TRA XI+ with have one ck and 4 keys nd colour	l		Net value of iten	n	817.32		4,903.92
•	160	322219	9 P&F FLUSH DOOR 800X2100	MM BOTH SIDE LAM		13	Released from t NOS - Numb Net value of item	oers	2480 17,179.40		223,332.20
t f	Size - nard v to be of tittings	800 x 2100 wood door fr duco painte	Door- Pantry Door & Manager (BOH) Dw MM Both side 1mm Laminated flush doo rame and architrave as per drawing. Door d as per drawing. Cost to include providin s (hinges, handles etc of approved make) awing.	r (40 mm thick) with frame and architrave g and fixing of all							
	170	325167	7 CLEANING CONSTRUCTION	AREA & FLOOR	2,635.5	550 M	Released from t 2 - Square me Net value of iten	eter	1420 8.82		23,245.55
t t	daily b by dep he co	pasis, includ ploying a tea	ruction site area & floor and to a neat wor ling the cost of cleaning consumables, ma am of necessary unskilled but trained clea struction and fit out till HOTO stage, as pe	chinery etc. complete ining persons during							
	180	326379	3 P&F COL PNL W/50X32MM H	WFW &W/12MM PLY	30	65.35	Released from t	are mete	1620 er		797 604 60

No Item Code	Material/Work Description	HSN/SAC	Quantity	/ UOM	Price Details	Unit Rate		Amount (INR)
PANELLING around the with 12mm make with - 21091 Sufixed to teer manufadirections	g and fixing in position using 50x 32mm hardwood column at 600mm C/C and thick commercial ply of laminate (Merinolam - Frede / Century - Frosty Whe vertical surfaces of acturer's specifications setc., all complete as prected by Engineer-in-characteris	frame work I fixing approved rosty White White 111), plywood as and per drawings						
Providing (India Gyr	311 P&FGYP FALSECEILING/1S FINIS g and fixing one side Gyr ssum or equivalant) for ing partition with 12mm	sum board false	24.930	Released fro M2 - Squ Net value of				32,005.13
gypboard s Aluminium equivalant bracing in sections a per design ceiling fo diffusers provided t rate.Rate joints of erecting a scaffoldin height of	supported on framework of Box sections (Jindal mak a) @600mm c/c with necess aclusive of anodising the a minimum of 20 Micronthi	E 25mmx 50mm Se or Sary cross E aluminium Lckness as Cutting of Cills, Shall be G the C tape on Ling, Ling to a Der design						
				Released fro	m the line 2100			
2	Floor Tiling & Dado	995414			Value of Work SGST/UGST CGST	166,908.58 9.00 9.00	INR/PU % %	166,908.58 15,021.77 15,021.77
The item of	overs the following Work							
	2 PRO&LAY MIR PLSH KOTA STN 6		125.440 M2	- Square m Net value of				153,664.00
Kota Stones ov cleaning and p using cement @ min cement @	laying approved size 19 mm thk machine cut ma er20mm thk cement-sand mortor in the ratio of 1 reparing the surafe forbedding, spreading neat c 2 2Kg/SQM prior tobedding andspreading cemer 4.5Kg/SQM over bedding, cleaning of joints, grout y matching colour grout, etc complete asdirected	:6 including ement slurry by It paste using ing with						

No Item Code	e Material/Work Description	HSN/SAC	Quantity UOM	Price Details	Unit Rate		Amount (INR)
Dismant Ceramic including areas as	244 DISMANTLING&REMOVING EX ling & Removing of exist / CC Flooring with back: g skirting, riser and to directed and carting as e and cleaning of site.	ing Stone / ing coat reads from	Released fr 140.78 SQM - Squ Net value o				13,244.58
			Released fr	om the line 490			
3	Brick Work/Siphorex/Solid Block	Wall 995414		Value of Work SGST/UGST CGST	980.00 9.00 9.00	INR/PU % %	980.00 88.20 88.20
The item	covers the following We	ork :					
10 31573	326 MAKE UPTO 0.5SQM CUTOUT	B/W INCLD FINISH	2 NOS - Numbo Net value o				980.00
anopening s atallheights i	nings / cutouts in brickwall for services as per dize of 0.5 SQM and reparing the same with wat including providing, erecting and dismantling cyscaffolding. (Note: Disposal of debris generated)	erproof mortar f					
			Released fr	om the line 380			
4	Cladding including ACP	995478		Value of Work SGST/UGST CGST	145,503.78 9.00 9.00	INR/PU % %	145,503.78 13,095.34 13,095.34
The item	covers the following Wo	ork :					
10 31573	343 P/FIX 4MM THK MATT FINISH A	ACP BTH SD FRM	50.847M2 - Squar Net value o				145,503.78
thick (0.25+3 (total thickne anodising the providing, er	nd fixing aluminium composite panels (ACP) m 3.5+0.25) with LDPE core coloured, matt finish less of the panel shall be 4mm) of approved male aluminium sections a minimum of 20 micronthecting and dismantling of scaffolding /staging a feet from ground. (Drawingsshall be provided to tes.	panels onboth sides; seinclusive of hickness and s necessary up to a					
			Released fr	om the line 70			

No Item Code	Material/Work Description	HSN/SAC	Quanti	ty UOM	Price Details	Unit Rate		Amount (INR)
5	False Ceiling - Gyp Board / Grid Type	995478			Value of Work SGST/UGST CGST	17,527.10 9.00 9.00	INR/PU % %	17,527.10 1,577.44 1,577.44
The item of	overs the following Work:							
10 3157348	P/FIX 12MM GYPSUM BRD FLS CEILIN	G GI FRM	18.400 N	12 - Squai Net value o				17,527.10
design and refleconcealed lighting GI channel alon diffusers etc. as to Contractor for Gypsum Sheets Gypboard as pecover for conceand fixing GI ch	xing Gypsum board false ceiling with 12mm thk. gypbotected ceiling plan with G.I. framework including cover for gas per dwg. The framework shall include providing a gwith perimeter and cutting of ceiling for light fixtures, required and making good the same. (Drawing shall be quoting the rate). Rate to include cost of paper tape of a. (India Gypsum or equivalant) or design and reflected ceiling plan with G.I. framework aled lighting as per dwg. The framework shall include pannel along with perimeter and cutting of ceiling for lighters etc. as required and making good the same.	or nd fixing A/C grills, e provided n joints of including roviding						
				Released fr	om the line 80			
6	Misc. Carpentery work for the building	995414			Value of Work SGST/UGST CGST	66,406.68 9.00 9.00	INR/PU % %	66,406.68 5,976.60 5,976.60
The item of	overs the following Work:							
10 3162747	FIXING OF ACCESSORIES F/CYLENDE	R HANGING	33	NOS - Not value o				3,104.64
	sories/Equipment like Fire Exinguishers, Insectocutor v kets/nut bolt/screws - Peg wall hanging	vith						
	P&FGLAZE FACAD W/U CHANEL &12M		15.7		om the line 640 Square meter f item 4,014.08			63,302.04
of 12mm the Providing facade using toughned by channed to be concluded to be conclusive	ick clearfloat and toughenering and fixing Fixed Glazing and fixing Fixed Glazing and 12mm thick clear flawles lass and fixed on top and kel. The top and bottom 'U' cealed within the floor and and respectively. Rate to kell of Al 'U' channels, tougher dware, finishing and fixing and fi	ed glass g in ss cottom in channels in the oe all ned						

WORK CHANGE ORDER AGAINST RATE CONTRACT Number RXN/63713934

Page No: 6

Net value of item

884.94

35,645.38

Revision No : 0001 Dt. 18.10.2022

				•				
No Item Code	Material/Work Description	HSN/SAC	Quantity	UOM	Price Details	Unit Rate		Amount (INR)
			F	Released from	the line 1350			
7	Wall Partitions / Panelling	995478			Value of Work SGST/UGST CGST	542,700.18 9.00 9.00	INR/PU % %	542,700.18 48,843.02 48,843.02
The item (covers the following Wor	·k :						
10 316685	58 PRO&FIX 100MM THK PARTN W	ALL TYPE 2		Square meter let value of it				64,999.87
Non Fire F 70 mm Gypt CRSfixed to channel at top with DC 60), th of 12mm th thick Comm finish tow with usin	g and fixing in position Rated Partitionpartition roc Metal Studs (70S 50) to the floor with 72mm Gt centres not exceedings hewall shall be fixed with the fixed with the fixed with grimer wardsthe wall racks Sideng 25mm Gyproc drywall rected by EIC.	wall using at 600mm byproc 00mm C/C and Channel (72 th 1 layers and 12 mm and paint and fixed						
20 318981	15 PRO&FIX PRTN WL 95MMTHK W	//12.5MM GYP SHT		Released from //2 - Squar	the line 240 e meter			
Providing wall 95mm Studs with sides. Providing mm Gypster fixed to tat centres with 72mm 60), the value of t	g and fixing in position thick using 70mm Gypste h 12.5mm thk gypsum sheer roviding and fixing in providing foom Gypsteel Stude (70S 50) the floor with 72mm Gypsteel Deep Flange Chapter (1) and the gypsteel Deep Flange Chapter (2) wall shall be fixed with hick gypsum sheet on both using 25mm gypstel dry as directed by engineer	Partition eel Metal et on both cosition Non al using 70 at 600mm CRS eteel channel C and top annel (72 DC al layer of th sides wall screws		let value of it	em 1,199.52			29,364.25
30 322606	68 P&F ARMST GYPS MODU GRID (CEIL 600X600MM	40.280M2		the line 400			

Providing and fixing lay-in Armstrong brand gypsum modular ceiling tiles, comprising of 600 mm x 600 mm x 9mm. Ceiling panels consists of an aerated gypsum core encased in strong paper liners. The panels shall have aluminum foil backing. Grid system for fixing ceiling tiles shall comprise of DG suspension system. The 15 mm black Silhouette main Tee shall be suspended at an interval of 1200mm centre to centre. The 1200mm cross tee shall be attached between two main runners at every 600 mm and further 600mm cross Tee shall be interconnected between two 1200 mm cross Tees. Thus a grid system of

No It	tem Code	Material/Work Description	HSN/SAC	Quanti 	y UOM	Price Details	Unit Rate		Amount (INR)
4mr to c	m G.I rod fror centre and not	m is formed. The main tee shall be suspended in slab/roof. The suspension shall be provided at more 450mm from the wall. The item included rised if any at the surroundings.	at 600mm centre						
40	3250006	P&F FRM WORK ABOVEPRTN W/	50X75MM STUDFF	RM 40		om the line 540 Square meter item 723.24			29.456.84
work slab fram ends chan Inte fixi ensu work EIC	above above by levels fixed and series f	Fabricating and fixing ply partition and up to s. In 50x75 mm vertical 00mmm c/c Both top & body in ceiling / partition ixed to the respective to the metal section for bracks as per design regidity and firm support. It as per the instruction ork includes all lead, erection, necessary has ry, tool tackles etc. co	o existing l Metal stud ttom n top surface. racing and uirements to Complete n of lift, rdware						25,,65.6
50	3162766	PRO&FIX PVC STRIP CURTAIN W	//ACCESSORIES	15.81 S	Released fro QM - Squ Net value of				30,987.60
with	n necessary m	ixing of PVC Strip curtain with required accesson naterails etc., complete. For BOH entry area.Sp stant, clear transperant and soft, temprange -	ecs: See						
60	3167017	PRO&FIX 100MM THK PARTN WA	II TVDE 3	143.487 M2		om the line 200			
Pro Non 70mm fixe at c with 60), Comm on e from	oviding Fire Ra Gyprod ed to tl centres The wa mercial either	and fixing in position ated Partition partition communicated Partition partition of Metal Studs (70S 50) and the floor with 72mm Gypromote exceeding 500mm C/Gyproc Deep Flange Changall shall be fixed with Ply with primer and passide upto wall rack height fixed with using 25mm cews 300mm C/C as direct	100mm thk n wall using at 600mm CRS oc channel C and top nel (72 DC 12 mm thick int finish ght of 2.5m Gyproc	143.407 WZ	Net value of				352,246.24
					Released from	om the line 260			
8		Doors	995478				445 450 00	INID (5)	44
						Value of Work SGST/UGST CGST	445,159.02 9.00 9.00	INR/PU % %	445,159.02 40,064.31 40,064.31

No Item Code	Material/Work Description	HSN/SAC	Quantity	UOM	Price Details	Unit Rate	Amount (INR)
he item (covers the following W	ork :					
10 324529	7 P&F 2HR FIR RATE SLF MTL I	DOOR W/APR SPEC		- Square me et value of item			141,635.58
2HR METAL FI Providing and f SINGLE LEAF door should be Recommended third party. Doo of min. 16 gaug assembled with leaf shall be 46 guage galvanis primer coating, aliphatic grade passed minimu door: Fire rated 3mm SS 304 a fornd, SSS and Length=70mm, SSS and 1 pair no of Door clos sponge seal for Dorma make. F as per drawing	METAL DOORS:- IRE DOOR fixing of HOLLOW METAL 2 HOUR FIRE R at all levels from ISO 9001-2000 certified N e as per IS 3614 part-1 & part-2 and BS 476 d fire door shall be tested and certified by ar or frame shall be double rebate profile of siz ge galvanized steel sheet. Frames shall be I self tabs with provision to be mortised, dril mm thick fully flush double skin door, man- sed steel sheet. All doors and frames shall be paint of approved colour. The door leaf and mm 250 hours of salt spray test. HARDWAR d Hinges 3090 F, 5 Knl, 2 Ball bearing but h and 1 no of Fire rated Mortice Dead lock 288 d 1 no of EP Cyl. 3515, 5pin one side key & , SNP and 1 no of Escutheions ZS 6612 for r of Pull handle D type TGDI-D300, b/b 22c ser TS 72 EN 2-4 with Std. arm and 5.4mt of r frames 188S, 1 mt length, Black all specifi Rate shall include for providing necessary he or as directed by the EIC. Consider averag es do not include vision panel and panic bar	Manufacturer. Fire a part 2 or EN 1634. In accredited/approved the 143 x 57 mm made Mitered and field liled and tapped. Door ufactured from 18 of finished with etched atting polyurethane difframe shall have E fittings for single leaf ninges size 4" x 3" x 83, 55mm BS/20mm sq. thumb turn Europrofile cylinder dia, in SSS 304 and 1 of Self adhesive led hardware fittings of ardwares etc complete led door size 1200 x					
20 324898	B7 P&F VISION PNL W/APR SPE	C F/2 HR FIRE DR	4 NOS -	eleased from th	ne line 560		
20 024000	T T AT VIOLOTY THE WITH THE OF EX	OT/ZTIKTIKE DIK		et value of item	1,960.00		7,840.00
panel of size 20 glass from Sair necessary hard Fire Rating pro	tal Doors to the item for fire rated doors. Providing ar 00 x 300mm with 6mm thick clear 2 hour fir nt gobain or equivalent make. Rate shall be dwares etc complete as per drawing or as d perties of the glass and its fixing mechanisr tified by an accredited / approved third party	e rated Borosilicate inclusive of providing irected by the EIC. n to fire door shall be					
30 316675	50 PRO&FIX 150X1750MM THK C	CLR FLAT GLS PNL	0.788 M2	eleased from the square me et value of item	ter		815.49
Extra Over for	clear float glass (6.0 mm) vision panel for t	flush door					
40 318366	66 P/FIX 32MM FLUSH DOOR SH	ITR 1000X2100MM	10 NOS	eleased from th - Numbers et value of item			166,590.20

Both Side laminate Finish

WORK CHANGE ORDER AGAINST RATE CONTRACT Number RXN/63713934

Revision No: 0001 Dt. 18.10.2022 Page No: 9

No	Item Code	Material/Work Description	HSN/SAC	Quantity	UOM	Price Details	Unit Rate	Amount (INR)
v (t t iii c 1	vith 100 x 50 mm Part-I) shutter into peading all round poth sides (Make nchage.etc. composats of putti. Iten Ozone "Make F DMC-22-K2K-60S Mortice body Loci 102 mm SS Butt I 150mm long, 10m	ng 32mm Single Leaf Solid Core Flush Door Shutters, at (finished size) teakwood door frame, confirming to IS ernally lipped, beaded on edges by 35mm x 12mm teat, shutter sand papered & finished with 1.0 mm laminat: Marinolam / Centurymica or eq.), as directed by Enginolete. Frame to be painted with synthetic enamel paint von also includes supplying and fixing of following door firitings SGC-Lock cylinder of size 60mm rod - 1 No k OML-11A - 1 No Hinges - 4 Nos per shutter find dia SS Tower Bolt (Heavy duty) - 1 No 30 X 19mm - OMH-11 - 2 Nos	: 2202 kwood e on eer vith two					
Ę	50 3345090	P&F 12MM TOUG GLS SGG PLANILUX V	//LOGO		Released from the	e line 330		
tou per doc wit ind	roviding ughened of require or. Glass th visibl clude mak r the har	& Fixing 12 mm Thick Clear glass for Glass door shuttered sizes for single & doubles: Saint Gobain - SGG PLANI e logo of Toughening mark. Fixing cut outs and holes / prodware fixing before glass, edge polishing etc. compl	s as glass LUX Rațe to covision		Net value of item	3,666.18		46,292.85
6	3345287	P&F SET F OZNE HRD F/12MM TGH GLS	DR STR	6 EA -	Released from the each	e line 880		
hai Shi Set Shi OPI Shi OGI Shi Cy	rdware foutter . Of stater . OFS- utter) F 02 To utter) F 03 Bo H 55 - 3 utter) Dor Sprin	& Fixing a set of Ozone Maker 12mm Toughened Glass Door One set for each shutter. Have ACC-GDP SS- Top Pivot (1 No. per Storm patch (1 No. per Shut S2 x 600 mm H Handle (1 No. per Shut I No. per shutter) I No. per shutter) Er from Ozone: OZ-DST-55E Schutter)	rdware fo. per ter) per	N	Net value of item	12,319.10		73,914.60
7	70 3345307	P&F CENTER GLS PATCH LCK F/12MM (GLS DRM	3 EA -	Released from the each	e line 890		
Prat dra ens	roviding 1 m heig awing) fo sure requ ass to fi ecificati	& Fixing Glass Center patch that (or specified height in or 12mm thk Glass door. Vend aired provisions in the tough the lock as per manufacture ons for proper functioning or Ozone Code: OPL-4A-4B K2N	lock the lor to hened rers of the	٨	Net value of item	2,690.10		8,070.30

Released from the line 1590

No Item Code	Material/Work Description	HSN/SAC		Quantity	/ UOM	Price	Details	Unit Rate		Amount (INR)
required a	accessories)									
					Released fro	m the line	900			
10	Plastering & POP	995414					of Work I/UGST CGST	95,192.95 9.00 9.00	INR/PU % %	95,192.95 8,567.37 8,567.37
The item o	covers the following W	ork :								
10 317618	3 PROV & FIXING OF METAL SC	AFFOLDING	13.750	M2 -	Square meter Net value of		181.09			2,489.99
	fixing of metal scaffolding for fixing of sign bo pto 20 metes.height as directed by Engineer									
20 320945	0 P&C150MMTH AERATED CON	C BLOCK W/1:4 CM.		6.600	Released fro M3 - Cub Net value of	ic meter	9 1060 7,934.08			52,364.93
walls) at all leve using standard as indicated he spaced @ 1.20 The blocks shadensity shall be at equilibrium. The parameters spewater premeab working platform R.C.C Patli beapart of this item taken on the backen	constructing light weight block masonry workels, using approved quality blocks in cement size of 400 x 200 mm of light weight blocks rein below including providing RCC patli of 10 m c/c with 2 nos. 8 mm dia. bars in cement all have a minimum compressive strength of 2 e @ 550 - 650 kg / Cum and water absorption the light weight concrete block shall conform ecified in IS 2185 part III and in regards to woll the scope shall include erecetion of nemental including centering / shuttering and Rein and shall not be paid seperately. The meas asis of actually constructed block work includatili). Any wastage shall be to contractors accustruction of block work over Patli shall be allowed the size of actually constructed block work shall be allowed the size of actually constructed block work includatili). Any wastage shall be to contractors accustruction of block work over Patli shall be allowed the size of actually constructed block work shall be allowed the size of actually constructed block work includatili).	mortar 1:4 in joints of varible thickness 00 mm thickness concrete of Mix M15. 3.7 N/Sqmm. The dry n not exceeding 10% to various atter absorption / cessary scaffolding, ted. The cost of forcement shall form urement shall be ing the intermediate bunt.								
Providing Syproc - (Elite by (RCC surface specificate include al	3 P&L AV 12MM TH GYPSUM PL g & Applying 12 mm (Agypsum Plaster - Gyprogram Plaster - Gyprogram Plication of the second periods of t	vg Thickness c one coat n masonry , thod . Rate to)	126.650	Released fro M2 - S Net value of	quare me				40,338.03

No Item Code	Material/Work Description	HSN/SAC	Quantity UOM	Price Details	Unit Rate		Amount (INR)
12	Demolition	995414		Value of Work SGST/UGST CGST	352.80 9.00 9.00	INR/PU % %	352.80 31.75 31.75
The item	covers the following W	ork :					
10 32200	09 BREAKING& DEMOLITION OF	BRICK/BLOCK WORK	0.720 M3 - Net value o				352.80
any dimensio may be with r removal of de making the su operation sha (This item sha	emolition of brick work / block work (plastered in and at any level, manually or by mechanical eccessary tools and plants, scaffolding. The schris, it's disposing at approved location, loading a good etc.complete. The entire breaking II be carried out as per specific instructions & all be operated only in view of any change in dructural member is necessary.)	al means as the case cope includes ng and unloading and / dismentling directions of EIC.					
			Released fr	om the line 1400			
13	Excvn/PCC/RCC/Foundn/Water	Proof/Railing 995471		Value of Work SGST/UGST CGST	24,876.94 9.00 9.00	INR/PU % %	24,876.94 2,238.92 2,238.92
The item	covers the following W	ork :					
10 32505	17 P&F APR SPEC 6MM MIRROR	W 3M ADHESIV TAP	10.830M2 - Sq Net value o				24,876.94
room of and	fixing 6mm thk Mirror (Saint Gobain or equiv with edges to be machine polished. The mirro tape or silicon on to the 12mm thk commercia	or is fixed with a 3M					
			Released fr	om the line 20			
15	Plumbing	995414		Value of Work SGST/UGST CGST	35,726.88 9.00 9.00	INR/PU % %	35,726.88 3,215.42 3,215.42
The item	covers the following W	ork :					
10 32593	57 P&FPOWDER COATED ALU	ANGLE 25X25X2 MM	235.200 M - M Net value o				35,726.88

Providing & fixing Aluminum angle of size 25x25x2mm thick powder coated to match the approved color at the edge of column cladding to protect column

No Item Code	Material/Work Description	HSN/SAC	Quantit	y UOM	Price Details	Unit Rate		Amount (INR)
	oond adhesive. Work including material, labo lead, lift, hardware, consumables etc. Comp							
				Released from	m the line 1680			
16	FOH Fixtures	995468						
					Value of Work SGST/UGST CGST	1,666.00 9.00 9.00	INR/PU % %	1,666.00 149.94 149.94
The item of	covers the following W	ork :						
10 326056	4 DEPLOYMENT OF SKILLED W	ORKMEN 2	MDY	- MANDAY Net value of i	tem 833.00			1,666.00
Shelving, accessupervision of language 1]A set of Elect 12mm, 6]Drill be carrying out the complete. Skille requirement of	s for supply of skilled manpower for installati ssories & other fixtures inside store and as p Engineer in charge. Rate to include charges tric portable drill, 2]Hammer, 3]Spirit level,4]I bit 7mm, 7]Allen key set(mm) etc and allied ce installation work as per directions of Engineed worker will be either Carpenter / Welder / the Engineer incharge and shall be intimate censed Welder shall only be accepted.	er ML and under for installation tools Power drill, 5]Drill bit onsumables for eer incharge etc all Fitter as per						
				Released from	m the line 90			
17	Painting	995414			Value of Work SGST/UGST CGST	1,036,597.85 9.00 9.00	INR/PU % %	1,036,597.85 93,293.81 93,293.81
The item of	covers the following W	ork :						
10 333951	8 S&A INTERNAL EMULSION PA	INT-OLD/EXST SRF	1,719.51	7 M2 - Sc				
emulsion in Surface of buildings existing in Emulsion in should give include a preparent acceptage of surface the sandpapere Surface shacrylic fire	g and applying premium paint of approved share old Surface / Walls. surface & Old Surface ouilding structures. A paint should be water we rich matt finish. The surface such as conoughly, it shall the doto give smooth & evenould be applied with oremium quality Acrylication.	de on Existing Existing means crylic based and he rate should ckles, leaning the en be en surface. 1 coat of primer and 2		Net value of i	tem 134.18			230,724.79

WORK CHANGE ORDER AGAINST RATE CONTRACT Number RXN/63713934

No Item Code	Material/Work Description	HSN/SAC	Quantity UOM	Price Details	Unit Rate	Amount (INR)
Solitaire emulsion / Berger Ran	action of EIC. (Dulux Profe A1000 / Asian Paint Premium Nerolac Beauty Gold White Igoli Total Care). Scaffoldi Id for height up to 4.2 mtrs	l / .ng cost				
20 3339542	2 S&A SYNTHETIC ENAMEL (OIL) PAINT	-OLD/EXI	507.530 M2 - Square			70 000 70
(Oil) pain Surface or buildings existing be include pr with emery applied wi coat of papplying 2 including should be EIC. (Dulu Enamel / N Butterfly	and applying Synthetic Enact of approved shade on Exist Old Surface / Walls. Exist surface & Old Surface means ouilding structures. The rate paper, etc. Surface should the locat of acrylic fine paper; diluting with thinned coats of Synthetic Enamel tools & tackles etc. Entire completed to the satisfaction Promise Enamel / Asian Application Synthetic Enamel / Egrolac Synthetic Enamel / Egrolac Synthetic Enamel / Egrolac Synthetic Enamel). Scaff GP Synthetic Enamel). Scaff GP Synthetic Enamel to 4.2	ting ing e should sanding be utty, 1 er and Paint e process on of specolite serger olding	Net value of	item 142.46		72,302.72
30 3339543	3 S&A SYNTHETIC ENAMEL(OIL)PAINT-S	STEEL STR	Released from 1,036.050 M2 - Square of Net value of			102,548.23
synthetic steel memb Grills, Ra existing p preparatio cleaning t spots, app oxide primapplying 2 including the satisf Enamel / A Synthetic	and applying approved shat enamel paint on existing stopers like Rolling Shutters, willings etc. including removaint by scrapping, surface on with wire brush and Emery the surface to remove dust a plying 1 coat of zinc based er, diluting with thinner at coats of synthetic enamel tools & tackles etc. completed action of EIC. (Dulux Promissian apcolite Enamel / Nero Enamel / Berger Butterfly & Enamel). Scaffolding cost if or height up to 4.2 mtrs	ructural Gates, val of paper, nd oil red nd paint te to se	Net Value of	item 98.98		102,548.23
Providing emulsion p Masonry Wa Emulsion p	3 S&A INTERNAL EMULSION PAINT-NEV and applying premium acryloaint of approved shade on alls / Fresh Surface. Acrylioaint should be water based be rich matt finish. The rat	ic New c and	Released from 3,533.950 M2 - S Net value of			631,022.11

No Item Code	Material/Work Description	HSN/SAC	Quantity UOM	Price Details	Unit Rate		Amount (INR)
preparing surface th sandpapere Surface sh acrylic fi coats of p Paint. Ent the satisf Solitaire emulsion / Rangoli To	l required tools & tackles the surface such as cleani coroughly, it shall then be do to give smooth & even su could be applied with 2 coans putty, 1 coat of prime premium quality Acrylic Emu ire process should be compaction of EIC. (Dulux Prof A1000 / Asian Paint Premium Nerolac Beauty Gold White total Care). Scaffolding costor height up to 4.2 mtrs.	ng the rface. ts of r and 2 lsion leted to essional m / Berger					
			Released	from the line 2390			
18	Excvn/PCC/RCC/Foundn/WaterProof/Ra	ailing 995414		Value of Work SGST/UGST CGST	199,116.87 9.00 9.00	INR/PU % %	199,116.87 17,920.52 17,920.52
The item c	overs the following Work :						
10 3162778	SUP&COVRNG PLASTIC SHEET F/PR	OTECTION	100 M2 - Squa				2,646.00
Supplying and cetc.	covering Plastic sheets for protection of RRL's fixturing	g materials					
20 3162786	6 PRO,FAB&FIX D50MM SS PIPE AS TR	OLY GUARD	Released 17.600M - Me Net value				21,370.27
Providing, Fabri Guard.	cating and Fixing 50mm dia Stainless Steel Pipe as	Trolley					
30 3166878	PRO&FIX WRITING BOARD 1200X900	MM 1	Released NOS - Number Net value	•			1.505.28
BOARD 1200 design, de as directe fittings a	and fixing in position WR 900mm IN TrainingRoom al tailed drawings etc., comped byEngineer-in-charge. Aland fixtures shall be of ach or equivalent make only	l per lete and l	ivet value	or item 1,303.20			1,505.20
40 3167013	3 PRO&FIX SS RAILING 304G 50MM DIA	30.460	Released M - Meter Net value	from the line 900 of item 3,626.00			110,447.96

Providing and fixing in position Stainless steel railing of 304 Grade asper the architectural design, drawings, includes 50mm dia. SS pipehandrail fixed on 38mm dia. SS vertical members (at suitable positions) and 20mm dia

No Item Code	Material/Work Description	HSN/SAC	Quant	ity UOM	Price Details	Unit Rate		Amount (INR)
specifications in with all lead and and all other ind	nbers(3No.), fixing to the 12mm dia S.S.membe ncluding necessary anchor fasteners etc.comple d lift of all levels ,loadingand unloading, transpo cidentalcharges etc. complete and as directed b arge.as perdrawing.	ete as per drawing rtation, curing etc.						
Providing over plywo finished g	6 P/F12.5MM GYPSUM BOARD CLA g &Fixing 12.5MM thick g bod, joining tapping etc good to receive directly exposed surface etc.comp ng & as directed by Engi	ypsum board . complete & painting lete all as		Released fro 9M2 - Squ Net value of				9,405.71
Providing system wit	2 PRO& FIX AWNING SYSTEM W/P g and Fixing retractable th approved PVC cloth in retracting system etc	awaning cluding M.S.	15.852M2 -					51,389.65
70 319878	3 PRO&FIX KEY CHEST 450X600M	M W/19MM PLYWD	,	Released fro 1 NOS - No Net value of				2,352.00
commercial ply	Fixing Key Chest of size 450 X 600mm made in and finished with 1mm thk laminate if approved sary hardware complete as per drawing and as	shade with glass						
				Released fro	m the line 1260			
19	False Ceiling - Gyp Board / Grid Ty	pe 995478			Value of Work SGST/UGST CGST	69,736.92 9.00 9.00	INR/PU % %	69,736.92 6,276.32 6,276.32
The item o	covers the following Wor	k :						
	1 P/APPLY AV.4MM TH POP PUNNI		790.668	M2 - Squa				69,736.92
including surfac	applying POP to ceiling of avg. 4 mm thickness to preparation hacking and wetting; required put dompleted in workman-like manner, to ensure lirected.	nning to be						
				Released fro	m the line 360			

No Item Code	Material/Work Description	HSN/SAC	Quantity	UOM	Price Details	Unit Rate		Amount (INR)
20	Misc. Carpentery work for the building	995414			Value of Work SGST/UGST CGST	3,951.36 9.00 9.00	INR/PU % %	3,951.36 355.62 355.62
The item of	overs the following Work:							
10 3203039	P&F 900X600MM 12MM SOFT BOARD V	V/FRM		Numbers Net value of i	tem 1,317.12			3,951.36
12MM THICK S HAVE A HARD' FRENCH POLIS ETC. HOOKS T	ND FIXING IN POSITION NOTICE BOARD 900X 600M OFT BOARD WITH APPROVED FABRIC. SOFT BOAI WOOD BEADING OUT OF 35X35MM FINISHED WITH SH. COMPLETE AS PER DESIGN, DETAILED DRAWI TO BE PROVIDED FOR HANGING THE NOTICE BOAF TO DIRECTED BY NGINEER-IN-CHARGE.	RD TO I NGS						
			i	Released fro	m the line 1320			
21	Doors	995478			Value of Work SGST/UGST CGST	7,645.88 9.00 9.00	INR/PU % %	7,645.88 688.13 688.13
The item of	overs the following Work:							
10 3345072	2 P&F SYNTHETIC DOOR MAT 6-10MM T	K 7.560		Square mete				
Providing Mats 6-10m arrest Dus locally an size as pedirected.	and Fixing of Synthetic m thick, outside Store & To t & water Droplets, availab d of approved shade & of re er design and dwg, completed	le quired	ŗ	Net value of i	tem 1,011.36			7,645.88
			F	Released froi	m the line 870			

WORK CHANGE ORDER AGAINST RATE CONTRACT Number RXN/63713934

Revision No : 0001 Dt. 18.10.2022

Page No: 17

Total Value of Work	INR	4,145,724.92
Total SGST/UGST	INR	373,115.24
Total CGST	INR	373,115.24
Total Payable to Contractor	INR	4,891,955.40

Revised Total Work Order Price:	INR	4,891,955.40
Original/Previous Total Work Order Price:	INR	5,923,100.55
Amendment to the Total Price as a result of this Revision	INR	-1,031,145.15

The Work Duration for this project is 14 Days for all practical purposes for monitoring construction progress mile stones under contractual obligations. It is to be reckoned from date of issuance of LoA unless specified by EIC in writing or through Work order. Please ref. STC & GCC for detailed Conditions.

Pro-rata payment(s) shall be made within 07 days from the date of receipt of correct Invoice at our end subject to certification by Engineer-in-charge.

LD - LD02 1% PER WEEK TO MAX OF 5% RETENTION - RT01 5% RETENTION VALID FOR PERIOD

Defect Liability Period of 12 Months from date of Completion of Work. Please refer STC & GCC for detailed clause.

Engineer-In-charge:

Mr. Rajiv Tomar /Mr. Roopak Raj

Note(S): 1. It is essential that the Contractor shall mention ItemNo. & Item code along with corresponding Material/Work Description and W.O.No. as mentioned above, in the Delivery challan (On-Shore Order), Measurement sheet and invoice for ease of material Inwarding, Certification of work and Bill Processing. Failure to do so may be the grounds for the rejections(s) or delay in release of payment(s).

PAN No. : AAJCR6636B

#As per recent amendment(s) in the Income-Tax Rules ("Rules") made vide the Income-tax (22nd Amendment) Rules, 2015, effective 1 January 2016. Rule 114B of the Rules as substituted, mentions transactions in relationto which Permanent Account Number (PAN) is to be quoted on all documents and includes sale or purchase of goods or services of any nature for an amount exceeding two lakh rupees per transaction (Sl. No 18 of the Tablein Rule 114B).

#Rule 114C (2) of the Rules as substituted reads as follows: "Any person, being a person raising bills referred to at Sl. No 5 or 6 or 18 of rule 114B, who, in relation to a transaction specified in the said Sl. No., has issued any document shall ensure after verification that permanent account number has been correctly furnished and the same shallbe mentioned in such document, or as the case may be, a declaration in Form 60 has been duly furnished with complete particulars". In case PAN is applied for and / or not available, Form 60 is to be duly filled and signed / verified and submitted with identity and address proof (KYC documents) as per the page 3 of form 60.

#You are therefore requested that your invoice / bill / payment acknowledgement / debit note / credit note, etc. should mention PAN of your entity as well as our PAN.

2. Contractor represents that he/they is/are Individual / Partnership Firm / HUF/ AOP / Body Corporate
Accordingly, Service Tax in respect of this work order should be payable to Central Government, as given hereunder:
By Owner By Contractor

ANNEXURE FOR SITE DETAILS

Site Site Name Site Address Site GSTIN No.

Q4VS FRBC-Smart Bazaar - AMBALA-RAI MARKET-MI

Ambala SB Ambala Rai Market Minerva C Minerva Complex Plot No 180/123 Rai Market Ambala Cantt Ambala Haryana - 133001

06AAJCR6636B1ZG

RELIANCE PROJECTS & PROPERTY MANAGEMENT Number: RXN/63713934 SERVICES LIMITED Revision No: 0001

Revision No : 0001 Date 18.10.2022

Reliance Retail Limited, A-3, Mohan Co-operative, 2nd Floor,

Sarita Vihar, Mathura Road, New Delhi-110044, DELHI, INDIA

Telephone: 91-011 -40658384/40658384 EMAIL: lalit.sharma.contracts@ril.com

PROJECT SPECIFIC TERMS AND CONDITIONS SPECIAL PROJECT - REFIT WORK

The following are the Project Specific Terms and Conditions (PSC) and shall be read in conjunction with Special Terms & Conditions of Work Order (STC) and General Conditions of contract (GCC), Specifications, Drawings and/or any other document forming part of the work order(WO). PSC shall have the precedence over all other terms and conditions mentioned elsewhere in so far as it is contradictory to STC and GCC.

The following are the additional special points to be taken care during the execution of the job.

A) SAFETY GUIDELINES @ SITE:

- " Site should start by 10.30 AM till 7.30 PM in presence of RIL Site Engineer. IF we have to work on double shift additional Site engineer will be deployed separately.
- " Do not start any work without presence of contractor skilled licence supervisor and Project Engineer. Responsibility lies with Cluster Head/State Head/Zonal Lead.
- " Contractor's technical supervisor should be at least Diploma Holder (CVL/ELE/Mech) with minimum 5 years of experience. If not at least interior designer / Architect with minimum 7 years of experience.
- " Electrician should be ITI Holder with PWD License.
- " Project Engineer should ensure all PPE is in place & used by all labour including supervisor and himself at site before starting work.
- " RIL Engineer has to give confirmation that all labours are working with PPE and this information should be shared thru SMS & on what Sapp and EOD in DPR to respective team members of Zone.

 " Every Engineer has to submit safety check list every EOD through
- DPR & What Sapp; otherwise he will be considered as absent.
- " It shall be Mandatory to adhere and follow all safety precautions and safe working methods by your Labor and equipment operators including calibration of equipment validity etc., at no point of time any Unsafe working methods will be adopted and any such incidence will be heavily penalized including termination of contract / WO at all your risk and costs.
- a) PPE includes:
 Safety Shoes
 Helmet

RELIANCE PROJECTS & PROPERTY MANAGEMENT Number: RXN/63713934

SERVICES LIMITEDReliance Retail Limited, A-3, Mohan Co-operative, 2nd Floor,
Date 18.10.2022

Sarita Vihar, Mathura Road, New Delhi-110044, DELHI, INDIA

Telephone: 91-011 -40658384/40658384 EMAIL: lalit.sharma.contracts@ril.com

Safety Belt with Full Body Jacket (reflector radium)
Safety Goggles
Harnesses
Hand gloves
Fall back arrester on scaffolding

- " Electrical installation work requires the Licensed Electrical Contractor and/or the registered & suitably qualified electrical worker for carrying out the electrical jobs.
- " All electrical work shall be executed by skilled and duly licensed electricians under the direct supervision of full time, fully qualified electrical Engineers and Supervisors. The contractor shall produce requisite evidence regarding the Qualifications of his Engineers, Supervisors and other workers.
- " All electrical work shall be carried out in strict compliance with safety requirement in Indian Standard Specifications and Indian Electricity Act. The works shall also conform to any special requirement of local State Electricity Board.
- " EIC (Project Engg) should ensure all statutory sanctions like MC Permission is at site.
- " EIC, Project Engineer should issue HOT Permit, Scaffolding permission, Double height permission.
- " At the time of deployment of Electrical contractor, they should display electrical licence on material board.
- " Use proper MCB DBs for power distribution as per SLD. Every DB Incomer MUST have an ELCB with 30mA protection.
- " 2/3 core X 2.5 SQ MM PVC INSULATED FLEXIBLE CABLES are to be used for all temporary connection, unless, otherwise specified on site (Earthling is must).
- " Distribution Board should always have LED Lights incorporated in switch & socket to display the current availability.
- " Provide for adequate Construction purpose lighting, do not work in the dark. This will avoid inadvertent accidents
- " Equipment health check-up should be checked. Plug points of heavy appliances like drilling machine, grinder, welding machine, etc. must be properly earthed and the power should be drawn only through a 3-pin plug socket with MCB.
- " First AID Treatment box should be procurement & available by Electrical Vendor
- " There should not be water logging on the floor.
- " No wooden/iron ladder should be used at site. Only Aluminium ladder with rubber bush must be used while execution of work at site.
- " Minimum 1 no. each 5kg ABC & CO2 (Fire Extinguisher) must be available at site before site work started
- " Site housekeeping has to be maintained by all contractor every

RELIANCE PROJECTS & PROPERTY MANAGEMENT Number: RXN/63713934 SERVICES LIMITED Revision No: 0001

SERVICES LIMITEDReliance Retail Limited, A-3, Mohan Co-operative, 2nd Floor,
Sarita Vihar, Mathura Road, New Delhi-110044, DELHI, INDIA

Telephone: 91-011 -40658384/40658384 EMAIL: lalit.sharma.contracts@ril.com

day before closing of site.

- " Do Not keep Inflammable material, waste material, debris on / near construction site.
- " No labour should be allowed to stay in night and no cooking at site/mall premises should be allowed.
- " Do not use Barrels, Loose brick, boxes etc. on working platform.
- " Do not throw water on live electrical equipment's in case of fire.
- " If one person is working on mobile scaffolding then wheels should be locked & at least one person should stand beneath the scaffolding on ground. The person should alight/step down from scaffolding before shifting/moving to the next position. The person working on scaffolding should ensure his full body safety belt is anchored to any available rigid support and not to the scaffolding/working platform.
- " In case nothing rigid support is available, we should ensure to erect lifeline rope centre to centre distance of 3 mtr. & in length of 10 mtr. for anchoring for full body harness. The same anchors can then be used for Fire Sprinkler.
- " Mobile Scaffolding height should not be more than 4 mtr.
- " Mobile scaffolding should be checked & certified by our engineers for all safety locks and play in the joints.
- " Mobile scaffolding should not be used on unfinished floor surfaces as it gets toppled and accidents do happen.
- " Mobile scaffolding should have railing on the top, Complete Platform & internal ladder for climbing.
- " All external fixed scaffolding for facade work should have internal ladder and platform with railing at all observatory level through-out the length of the facade.
- " In every quarter, RIL Engineer/Cluster Head/State Head should give Safety exam in regards to safety norms at zonal office in presence of National Safety Head and Zonal Head. If results not found satisfactory then Engineers shall not be deployed on any site till he clears the safety exam in next 48 hours.
- " If the contractor does not follow our safety rules then they should be eliminated by Contract Team with immediate effect & alternate suitable vendor should be arranged by Contract.
- " In case of any unsafe equipment used by contractor then the same will be forfeited with above penalty & same will be allowed to use only after rectification.

 " If incident happened (fatal or non-fatal on site), Engineers
- " If incident happened (fatal or non-fatal on site), Engineers will be issued memo for 1st two incidents & then he will be suspended for a week with show cause notice with LOP (Loss Of Pay).

RELIANCE PROJECTS & PROPERTY MANAGEMENT Number: RXN/63713934 SERVICES LIMITED Revision No: 0001

Reliance Retail Limited, A-3, Mohan Co-operative, 2nd Floor,

Sarita Vihar, Mathura Road, New Delhi-110044, DELHI, INDIA

Telephone: 91-011 -40658384/40658384 EMAIL: lalit.sharma.contracts@ril.com Date 18.10.2022

- " In case of absence/deputation to any other work of any project engineer then Cluster Head to be mobilised to that particular site. Without presence of RIL Engineer, work should not get started at site.
- " No loose wire on the floor or no loose wire hanging on the ceiling,
- " Do not keep Live Wire on ground unattended.
- " Incident Report should be generated by the Project Cluster Engineers / cluster Head immediately to their respecting State Head / Zonal Lead / Zonal Head.
- " Necessary Safety Signage at site to be displayed.
- " Temporary railing for cutout's and Lift well if any during Refit Work.
- " Electrical Installation requires licensed electrical Contactor registered with PWD.
- " Electrician working on site should have valid supervisor licence. / ITI Trained wire man with licence.
- " Under No Circumstances person without Licence should be allowed to do any electrical work. He should only be allowed as Helper.
- " Electrical Contractor and his team has to produce requisite evidence regarding Qualification.
- " Copy of valid certificate for contractor and his team should be given to EIC.
- " All electrical work shall be carried out in strict compliance with safety requirement as per Indian standard specification and Indian Electricity Act. The work shall also conform to any special Requirement of local State electricity Board.
- " Welding should be done only by licence certified Welder and should display licence with copy to EIC.
- " Kindly ensure to keep water bucket , sand bucket and extinguisher nearby welding site
- " Electrical room must be kept clean, and ensure it's not used as store room.
- " Only Authorised person are allowed to entire Electrical room
- " Its duty of Vendors and EIC to follow HSE at all ongoing sites.
- " Kindly ensure all incoming cable are routed through ELCB / RCBO.

The following are the additional special points to be taken care during the execution of the job.

- " The contractor should have valid PWD license for execution of Electrical jobs & should always be presented at site as per the instruction of Engineer-In-Charge.
- " Contractor shall appoint a full time technically qualified/Licensed Engineer as the site supervisor.

RELIANCE PROJECTS & PROPERTY MANAGEMENT Number: RXN/63713934 SERVICES LIMITED Revision No: 0001

Revision No : 0001 Date 18.10.2022

Reliance Retail Limited, A-3, Mohan Co-operative, 2nd Floor, Sarita Vihar, Mathura Road, New Delhi-110044, DELHI, INDIA

Telephone: 91-011 -40658384/40658384 EMAIL: lalit.sharma.contracts@ril.com

The Electrical vendor to certify job done by him as per sample format given below:

VENDOR LETTER HEAD TO BE USED.

To Whom sever it May Concern

I Mr xxxx xxxxx xxxxx Proprietor / partner of xxxxxxx having registered office situated at xyz .due hereby confirm as follows; I am registered vendor under licence no xxxxxxxxx with competent authorities.

The job Carried out by me at ----- site namely xxxxxxx situated at xxxxxxx is as per SLD, and Guidelines of RELIANCE RETAIL LIMITED

We have followed all rules and regulation as per Indian Electricity Rules / Indian Electricity Act .

We have also followed all local statutory authorities norms. We are attaching earth test reports (pl take separate test

certificate of each earth pit)

I certify that the Job carried out by us is G Guaranteed for a G Period of 12 months and shall be replaced the same Free of G cost if found defective .

Signed by Partner / proprietor

- " Contractor shall have a safety supervisor appointed for the works who would conduct regular/daily Tool Box talks and educate the workers/labourers on type of work and related safety precautions required for the day of work and in general.
- " Owner reserves their right to penalize the contractor in case of repeated non adherence of Safety Norms and such penalties shall be limited to overall value of 5% including LD as stipulated elsewhere.
- " Contractor shall submit project specific Safety Plan and get the same approved by EIC by modifying the same as recommended before start of work. All such documents shall become part of this contract document as if it was issued along with this document.

B) INVOICING INSTRUCTIONS

Submission of Bills address-Invoices shall be submitted at the address mentioned below:-Mr. Rajiv Tomar

RELIANCE PROJECTS & PROPERTY MANAGEMENT Number: RXN/63713934 SERVICES LIMITED Revision No: 0001

Reliance Retail Limited, A-3, Mohan Co-operative, 2nd Floor,

Date 18.10.2022

Sarita Vihar, Mathura Road, New Delhi-110044, DELHI, INDIA

Telephone: 91-011 -40658384/40658384 EMAIL: lalit.sharma.contracts@ril.com

Reliance Project & Property Management Services Limited 1st Floor, Jio Center Unity One Mall, CBD shahdra Delhi-110032

- " Owner will not accept any invoices for excess quantities in respect of Goods/ Services supplied under this Work Order. Contractor shall invoice for the work completed under this Work Order.
- " The above areas are tentative areas for the purpose of work order only. However payment will be done on the basis of approved areas by the owner from time to time in respect of above job.
- " Invoices shall be fully supported by the following document(s):
- " Delivery challan(s)
- " Other supporting(s) as required by the terms of the Work Order
- C) COMMUNICATIONS:
- 1) All communications, correspondence and documentation requested in this Work Order shall be sent to the following address as per the post order co-ordination procedure:

Anil Kesari Reliance Project & Property Management Services Limited 1st Floor, Jio Center Unity One Mall, CBD Shahdara Delhi-110032

- 2) All the correspondence with respect to this work written and verbal stands Null and void and only those mentioned in the LOA and WO shall stands applicable as mutually accepted terms and conditions.
- 3) Billing /invoicing address:
- " The invoice shall be issued on the address (PPOB) as provided in the Covering sheet of the Work Order, PPOB means Principle place of business address of state in which the site is situated and work is executed. (as on the Page 1 of the WO)
- " All contractors understand and agreed to issue all invoices pursuant to issuance of this order, in

RELIANCE PROJECTS & PROPERTY MANAGEMENT Number: RXN/63713934 SERVICES LIMITED Revision No: 0001

Reliance Retail Limited, A-3, Mohan Co-operative, 2nd Floor, Date 18.10.2022
Sarita Vihar, Mathura Road, New Delhi-110044, DELHI, INDIA

Telephone: 91-011 -40658384/40658384 EMAIL: lalit.sharma.contracts@ril.com

- " the full name of issuing company that is RELIANCE PROJECT & PROPERTY MANAGEMENT SERVICES LIMITED
- " Despite the fact that abbreviation is used in the stationery of the order issued to the contractor. This is to ensure the GST and other applicable laws of the land and to claim appropriate GST ITC. Failing to comply with this invoicing in full name may result in denial of GST ITC to the issuing company and hence affect the payment to the contractor
- " INVOICE submissions (refer clause 18 of the STC)
- " Contractor to submit the invoices at the Zonal address
- D) Signing of the WO/amendment to WO, for acceptance of all terms and conditions is mandatory. However if we do not receive the work order copy/amendment to WO copy, duly signed within 48hours of its issuance, from you, it shall be considered as deemed accepted by you for all operation purposes of this work order/amendment to WO.

Contractor shall follow online JMS system for billing and submission of invoice as per the procedure provided in SCM portal (URL: WWW.SCM.RIL.COM)

- E) WORK EXECUTION IN PHASES & COMPLETION TIMELINES:
- " The Refit work shall be executed in phased manner Part A & Part B.
- " Initially the BOQ shall be shared for Part A scope.
- " During execution of Part A scope, subsequent addition of scope as Part B shall be confirmed through an Interim amendment to the same WO.
- " The work specified in the BoQ & all related works shall be completed as under:
- 1. Part B: Scope of work to be completed in 14 Days from date of written confirmation.
- "The service period of the work order has been given that of 3 months to complete all other formalities of billing/ Third Party Audit & closure and internal requirements and shall have no bearing on the stipulated time for completion of the Work.

RELIANCE PROJECTS & PROPERTY MANAGEMENT Number: RXN/63713934 SERVICES LIMITED Revision No: 0001

Revision No : 0001 re, 2nd Floor, Date 18.10.2022

Reliance Retail Limited, A-3, Mohan Co-operative, 2nd Floor, Sarita Vihar, Mathura Road, New Delhi-110044, DELHI, INDIA

Telephone: 91-011 -40658384/40658384 EMAIL: lalit.sharma.contracts@ril.com

" However Liquidated Damages shall be applicable for completion of the work exceeding 14 days for the reasons of delay attributable to the Contractor.

F) SPECIAL PAYMENT TERMS:

- 1. Contractors who are assessed in the performing category on a consistent basis by the EIC shall have the preferred payment terms against their RA & Final Bill payment timelines.
- 2. Contractor shall submit their First RA Bill in System (post certification) once he has EIC certification of value of works "not less than 65 % "of the Actual WO Value (EIC & Contractor shall re-assesses the actual WO value for any variations to initial WO value and is termed as " Actual WO value" for RA1 certification). There shall be a minimum 35 % of the Actual WO Value retention, for Final Bill payment and as such even if work carried out by contractors at the time of first RA stands in excess of 65 %, the payment certification shall be restricted to 65 % of the Actual WO value only. As such contractors are encouraged to raise their first RA bill as soon as 65 % value is completed so as to maintain their cash flow.
- 3. The First RA-Bill will be processed for further clearances in the system. The payment will be cleared in 7 to 10 days' time post scrolling date of the invoice.
- 4. In order to be eligible for any Payment the contractor shall be GST compliant in the Govt. portal and not a defaulter.
- 5. Contractor shall have the concurrence of the EIC at the start of the project on the priority of works to be completed to achieve the 65 % value for submission of First RA-Bill.
- 6. Contractor shall submit their Final Bill in System (post certification) once he has completed the execution of the balance work as per EIC directives.
- 7. In order to be eligible for Full and Final Bill Payment the contractor shall be 100% HRIR (PF & ESIC in particular) and GST compliant in the Govt. portal.
- 8. The Final Bill payment will be cleared in 7 to 10 days' time post scrolling date of the invoice.
- 9. The contractor shall be awarded multiple sites subject to Final

RELIANCE PROJECTS & PROPERTY MANAGEMENT Number: RXN/63713934

SERVICES LIMITED Revision No : 0001 Reliance Retail Limited, A-3, Mohan Co-operative, 2nd Floor, Date 18.10.2022

Telephone: 91-011 -40658384/40658384 EMAIL: lalit.sharma.contracts@ril.com

Bill submission and achieving 100% project closure status of the previously awarded works. Any delays in non-submission of Final Bill with all supporting will entail blocking of the vendor code for further award of projects which shall be binding for across Reliance verticals.

- 10. Reliance/ EIC reserves its rights to withdraw this special payment terms without assigning any reason whatsoever post which the normal payment terms as per GCC/STC of this WO shall only prevail. Withdrawal of Special payment terms by EIC shall not entail any change in other terms and conditions of the WO including the agreed Item rates.
- G) Third Party Quality Audit and Checks:

Sarita Vihar, Mathura Road, New Delhi-110044, DELHI, INDIA

- 1. Contractor is made aware and agrees that the work shall happen on fast track basis at multiple locations and as such it is the Prime Responsibility of the Contractor to ensure use of only approved Brands and strictly follow the specifications and other requirements of sound engineering practice.
- 2. Reliance shall be appointing a Third Party Audit checks on the work carried out by the contractor. Any deviation to approved specification and use of substandard quality and providing alternate brands citing non availability of the approved brand shall not be acceptable unless a prior written approval is obtained from EIC on such changes.
- 3. Contractor is made aware and agrees that any payment release shall only Happen post certification on quality parameters adhered by the contractor by the "Third Party Audit Team" appointed by Reliance. Such audit shall happen post/during work/completion.
- 4. However for any reasons Reliance Releases the payment before Third party Audit, Contractor is made aware and agrees that any certification given by EIC including the measurements and payments released there-off prior to "Third Party Audit" shall only be considered for the purpose of maintaining the Cash Flow as an Adhoc Basis .The contractor therefore shall not consider it as certification of quality and specification including the measurements.
- 5. At any point of time it is found out that Contractor has used sub-standard Quality, alternate brands without written approval of EIC and/or claimed measurements in excess of actual, Contractor agrees to provide a Credit note in the form and manner as informed by Reliance within 24 hours of receiving such intimation. EIC

RELIANCE PROJECTS & PROPERTY MANAGEMENT Number: RXN/63713934

SERVICES LIMITEDReliance Retail Limited, A-3, Mohan Co-operative, 2nd Floor,
Sarita Vihar, Mathura Road, New Delhi-110044, DELHI, INDIA

Telephone: 91-011 -40658384/40658384 EMAIL: lalit.sharma.contracts@ril.com

decision shall be final and binding on the contractor. Reliance reserves its right to seek replacement of the sub-standard quality as per WO specifications with added penalty to be decided by EIC.

- 6. Contractor authorises Reliance to deduct and debit to the "Vendor Code " based penalty covering cost of use of sub-standard quality along with Penalty as decided by EIC in the absence of providing Credit note to Reliance within the time specified.
- 7. Contractor is made aware and agrees that being a regular vendor, he shall take the full responsibility of appointing proper qualified supervisor and billing Engineer so that there are NO Critical Observations and Findings during the Third Party Audit, failing which Contractor Risks being Black Listed across Reliance all verticals for future works.